

## WebStorm OS X Keymap



### Editing

<b>^Space</b>	Basic code completion (the name of any class, method or variable)
<b>⌘⇧↵</b>	Complete statement
<b>⌘P</b>	Parameter info (within method call arguments)
<b>^J</b>	Quick documentation lookup
<b>⌘+ mouse over code</b>	Brief Info
<b>⌘F1</b>	Show descriptions of error or warning at caret
<b>⌘N, ^⌘, ^N</b>	Generate code...
<b>⌘⌘T</b>	Surround with... (if..else, try..catch, for, etc.)
<b>⌘/</b>	Comment/uncomment with line comment
<b>⌘⌘/</b>	Comment/uncomment with block comment
<b>⌘↑</b>	Select successively increasing code blocks
<b>⌘↓</b>	Decrease current selection to previous state
<b>^⇧Q</b>	Context info
<b>⌘⇧↵</b>	Show intention actions and quick-fixes
<b>⌘⌘L</b>	Reformat code
<b>^⌘I</b>	Auto-indent line(s)
<b>⇧⇧, ⇧⇧↵</b>	Indent/unindent selected lines
<b>⌘X</b>	Cut current line or selected block to clipboard
<b>⌘C</b>	Copy current line or selected block to clipboard
<b>⌘V</b>	Paste from clipboard
<b>⌘⇧V</b>	Paste from recent buffers...
<b>⌘D</b>	Duplicate current line or selected block
<b>⌘⌘</b>	Delete line at caret
<b>^⇧J</b>	Join lines
<b>⌘⇧↵</b>	Split lines
<b>⇧↵</b>	Start new line
<b>⌘⇧U</b>	Toggle case for word at caret or selected block
<b>⌘⇧], ⌘⇧[</b>	Select till code block end/start
<b>⌘⌘</b>	Delete to word end
<b>⌘⌘</b>	Delete to word start
<b>⌘+, ⌘-</b>	Expand/collapse code block
<b>⌘⇧+</b>	Expand all
<b>⌘⇧-</b>	Collapse all
<b>⌘W</b>	Close active editor tab

### Multiple carets and selections

<b>⌘+ Click</b>	Add or remove caret
<b>^⌘G</b>	Select all occurrences
<b>^G</b>	Select next occurrence
<b>^⇧G</b>	Unselect occurrence
<b>⌘</b>	Unselect all occurrences or carets

### Running

<b>^⌘R/D</b>	Select configuration and run/debug
<b>^R/D</b>	Run/Debug
<b>^⇧R/D</b>	Run/Debug context configuration from editor
<b>^⌘R</b>	Rerun tests

## WebStorm OS X Keymap



### Debugging

<b>F8</b>	Step over
<b>F7</b>	Step into
<b>⇧F7</b>	Smart step into
<b>⇧F8</b>	Step out
<b>⌘F9</b>	Run to cursor
<b>⌘F8</b>	Evaluate expression
<b>⌘⌘R</b>	Resume
<b>⌘F8</b>	Toggle breakpoint
<b>⌘⇧F8</b>	View breakpoints

### Navigation

<b>⌘O</b>	Go to class
<b>⌘⇧O</b>	Go to file
<b>⌘⌘O</b>	Go to symbol
<b>^←</b>	Go to previous editor tab
<b>^→</b>	Go to next editor tab
<b>F12</b>	Go back to previous tool window
<b>⌘</b>	Go to editor (from tool window)
<b>⇧⌘</b>	Hide active or last active window
<b>^⇧F4</b>	Close active run/messages/find/... tab
<b>⌘L</b>	Go to line
<b>⌘E</b>	Recent files popup
<b>⌘⌘←, ⌘⌘→</b>	Navigate back/forward
<b>⌘⇧⌘</b>	Navigate to last edit location
<b>⌘F1</b>	Select current file or symbol in any view
<b>⌘B, ⌘Click</b>	Go to declaration
<b>⌘⌘B</b>	Go to implementation(s)
<b>⌘Space, ⌘Y</b>	Open quick definition lookup
<b>^⇧B</b>	Go to type declaration
<b>⌘U</b>	Go to super-method/super-class
<b>^↑, ^↓</b>	Go to previous/next method
<b>⌘], ⌘[</b>	Move to code block end/start
<b>⌘F12</b>	File structure popup
<b>^H</b>	Type hierarchy
<b>^⌘H</b>	Call hierarchy
<b>F2, ⇧F2</b>	Next/previous highlighted error
<b>F4, ⌘↓</b>	Jump to source
<b>⌘↑</b>	Jump to navigation bar
<b>F3</b>	Toggle bookmark
<b>⌘F3</b>	Toggle bookmark with mnemonic
<b>^0...^9</b>	Go to numbered bookmark
<b>⌘F3</b>	Show bookmarks

### VCS/Local History

<b>^V</b>	'VCS' quick popup
<b>⌘K</b>	Commit project to VCS
<b>⌘T</b>	Update project from VCS
<b>⌘⇧C</b>	View recent changes

## WebStorm OS X Keymap



### Search/Replace

<b>⌘F/R</b>	Find/Replace
<b>⌘G</b>	Find next
<b>⌘⇧G</b>	Find previous
<b>⌘⇧F/R</b>	Find/Replace in path

### Usage Search

<b>⌘F7 / ⌘F7</b>	Find usages / Find usages in file
<b>⌘⇧F7</b>	Highlight usages in file
<b>⌘⌘F7</b>	Show usages

### Refactoring

<b>F5</b>	Copy
<b>F6</b>	Move
<b>⌘⌘</b>	Safe delete
<b>⇧F6</b>	Rename
<b>⌘⌘N</b>	Inline variable
<b>⌘⌘M</b>	Extract method
<b>⌘⌘V/C/P</b>	Introduce variable/constant/parameter
<b>⌘F6</b>	Change function signature

### General

<b>Double ⇧</b>	Search everywhere
<b>⇧⌘A</b>	Find action
<b>⌘0...⌘9</b>	Open corresponding tool window
<b>⌘⇧F12</b>	Toggle maximizing editor
<b>⌘⇧F</b>	Add to favorites
<b>⌘⇧I</b>	Inspect current file with current profile
<b>^\$, ^`</b>	Quick switch current scheme
<b>⌘,</b>	Open settings dialog
<b>^⇧</b>	Switch between tabs and tool window

<b>⌘</b> Command	<b>⌘</b> Backspace	<b>⇧</b> Tab
<b>⌘</b> Option / Alt	<b>⌘</b> Delete	<b>↑↓</b> Arrow Keys
<b>^</b> Control	<b>⌘</b> Escape	<b>⇧</b>
<b>⇧</b> Shift	<b>⇧</b> Enter / Return	

### To find any action inside the IDE use Find Action (⇧⌘A)

